

1	CATEGORY A:					
---	-------------	--	--	--	--	--

	Product	Est. Qty	Unit	Manufacturer	Price per Unit Inclusive of VAT)	Total (Inclusive of VAT)
<b>1.1</b>	<b>uPVC Pipe Class 6 Socketed per 6 Meter Length</b>					
1.1.1	63mm	75	Length			0
1.1.2	75mm	5	Length			0
1.1.3	90mm	15	Length			0
1.1.4	110mm	35	Length			0
1.1.5	160mm	15	Length			0
<b>1.2</b>	<b>uPVC Pipe Class 9 Socketed per 6 Meter Length</b>					
1.2.1	63mm	10	Length			0
1.2.2	75mm	10	Length			0
1.2.3	90mm	10	Length			0
1.2.4	110mm	10	Length			0
1.2.5	160mm	10	Length			0
1.2.6	200mm	10	Length			0
1.2.7	250mm	10	Length			0
1.2.8	315mm	10	Length			0
<b>1.3</b>	<b>uPVC Pipe Class 12 Socketed per 6 Meter Length</b>					
1.3.1	63mm	95	Length			0
1.3.2	75mm	30	Length			0
1.3.3	90mm	35	Length			0
1.3.4	110mm	90	Length			0
1.3.5	160mm	15	Length			0
1.3.6	200mm	1	Length			0
1.3.7	250mm	2	Length			0
1.3.8	315mm	2	Length			0
<b>1.4</b>	<b>UPBV Pipe Class 12: Bell Mounted Pipe/4 Meter Length</b>					
1.4.1	63mm	25	Length			0
1.4.2	75mm	40	Length			0
1.4.3	90mm	2	Length			0
1.4.4	110mm	35	Length			0
1.4.5	125mm	5	Length			0
1.4.6	160mm	30	Length			0
1.4.7	200mm	11	Length			0
1.4.8	250mm	1	Length			0
1.4.9	315mm	1	Length			0
<b>1.5</b>	<b>uPVC Pipe Class 9 Socketed per 6 Meter Length</b>					
1.5.1	63mm	10	Each			0
1.5.2	75mm	10	Each			0
1.5.3	90mm	10	Each			0
1.5.4	110mm	10	Each			0
1.5.5	160mm	10	Each			0
<b>1.6</b>	<b>uPVC Pipe Class 12 Socketed per 6 Meter Length</b>					
1.6.1	63mm	55	Each			0
1.6.2	75mm	5	Each			0
1.6.3	90mm	5	Each			0
1.6.4	110mm	15	Each			0
1.6.5	160mm	2	Each			0
<b>1.7</b>	<b>uPVC Bend 45°</b>					
1.7.1	63mm	65	Each			0
1.7.2	75mm	5	Each			0
1.7.3	90mm	5	Each			0
1.7.4	110mm	25	Each			0
1.7.5	160mm	5	Each			0
<b>1.8</b>	<b>uPVC Bend 90° Class 6 Solvent Weld</b>					
1.8.1	63mm	85	Each			0
1.8.2	75mm	20	Each			0
1.8.2	90mm	20	Each			0
1.8.3	110mm	20	Each			0
1.8.4	160mm	20	Each			0
<b>1.9</b>	<b>uPVC Bend 11.25° Class 12 Socketed</b>					
1.9.1	63mm	20	Each			0

1.9.2	75mm	20	Each			0
1.9.3	90mm	20	Each			0
1.9.4	110mm	20	Each			0
1.9.5	160mm	20	Each			0
<b>1.10</b>	<b>uPVC Bend 22°Class 12 Socketed</b>					
1.10.1	63mm	20	Each			0
1.10.2	75mm	20	Each			0
1.10.3	90mm	20	Each			0
1.10.4	110mm	20	Each			0
1.10.5	160mm	20	Each			0
<b>1.11</b>	<b>uPVC Bend 45°Class 12 Socketed</b>					
1.11.1	63mm	20	Each			0
1.11.2	75mm	20	Each			0
1.11.3	90mm	20	Each			0
1.11.4	110mm	20	Each			0
1.11.5	160mm	60	Each			0
<b>1.12</b>	<b>uPVC Bend 90°Class 12 Socketed</b>					
1.12.1	63mm	2	Each			0
1.12.2	75mm	2	Each			0
1.12.3	90mm	2	Each			0
1.12.4	110mm	2	Each			0
1.12.5	160mm	2	Each			0
<b>1.13</b>	<b>End Caps- uPVC Class 6 Solvent Weld</b>					
1.13.1	63mm	90	Each			0
1.13.2	75mm	5	Each			0
1.13.3	90mm	5	Each			0
1.13.4	110mm	20	Each			0
1.13.5	160mm	5	Each			0
<b>1.14</b>	<b>Reducers – PVC Class 6</b>					
1.14.1	75mm to 63mm	2	Each			0
1.14.2	90mm to 63mm	2	Each			0
1.14.3	90mm to 75mm	2	Each			0
1.14.4	110mm to 63mm	2	Each			0
1.14.5	110mm to 75mm	2	Each			0
1.14.6	110mm to 90mm	2	Each			0
<b>1.15</b>	<b>Reducers – PVC 12</b>					
1.15.1	75mm to 63mm	2	Each			0
1.15.2	90mm to 63mm	2	Each			0
1.15.3	110mm to 63mm	2	Each			0
1.15.4	90mm to 75mm	2	Each			0
1.15.5	110m to 5mm	2	Each			0
1.15.6	110mm to 90mm	2	Each			0
<b>1.16</b>	<b>PVC Repair Couplings Class 12</b>					
1.16.1	63mm	5	Each			0
1.16.2	75mm	12	Each			0
1.16.3	90mm	5	Each			0
1.16.4	110mm	6	Each			0
1.16.5	160mm	6	Each			0
1.16.6	200mm	1	Each			0
1.16.7	315mm	1	Each			0
<b>1.17</b>	<b>PVC Sockets Class 6 Solvent Weld</b>					
1.17.1	63mm	60	Each			0
1.17.2	75mm	2	Each			0
1.17.3	90mm	5	Each			0
1.17.4	110mm	25	Each			0
1.17.5	160mm	1	Each			0
<b>1.18</b>	<b>PVC to AC Adaptors Class 12</b>					
1.18.1	63mm PVC to 50mm AC	50	Each			0
1.18.2	75mm PVC to 75mm AC	50	Each			0
1.18.3	90mm PVC to 100mm AC	10	Each			0
1.18.4	110mm PVC to 100mm AC	70	Each			0
1.18.5	110mm PVC to 125mm AC	1	Each			0
1.18.6	160mm PVC to 150mm AC	30	Each			0
1.18.7	200mm PVC to 200mm AC	5	Each			0
1.18.8	200mm PVC to 225mm AC	1	Each			0
1.18.9	250mm PVC to 250mm AC	2	Each			0

1.18.10	315mm PVC to 345mm AC	2	Each			0
<b>1.19</b>	<b>Y Junctions Class 6</b>					
1.19.1	63mm x 63mm	40	Each			0
1.19.2	75mm x 75mm	3	Each			0
1.19.3	90mm x 90mm	3	Each			0
1.19.4	110mm x 110mm	12	Each			0
1.19.5	75mm x 3mm	3	Each			0
1.19.6	90mm x 3mm	20	Each			0
1.19.7	110mm x 63mm	15	Each			0
1.19.8	90mm x 75mm	10	Each			0
1.19.9	110mm x 75mm	1	Each			0
1.19.10	110mm x 90mm	5	Each			0
<b>1.20</b>	<b>Y- Junction Class 12</b>					
1.20.1	63mm x 63mm	2	Each			0
1.20.2	75mm x 75mm	2	Each			0
1.20.3	90mm x 90mm	2	Each			0
1.20.4	110mm x 110mm	2	Each			0
1.20.5	75mm x 63mm	2	Each			0
1.20.6	90mm x 63mm	2	Each			0
1.20.7	110mm x 63mm	2	Each			0
1.20.8	90mm x 75mm	2	Each			0
1.20.9	110mm x 75mm	2	Each			0
1.20.10	110mm x 90mm	2	Each			0
<b>1.21</b>	<b>PVC Sewer Filters</b>					
<b>1.22</b>	<b>Cast Iron Short Collar Couplings</b>					
1.22.1	50mm	60	Each			0
1.22.2	75mm	50	Each			0
1.22.3	100mm	50	Each			0
1.22.4	125mm	10	Each			0
1.22.5	150mm	25	Each			0
1.22.6	200mm	12	Each			0
1.22.7	225mm	1	Each			0
1.22.8	250mm	1	Each			0
1.22.9	300mm	2	Each			0
<b>1.23</b>	<b>Universal/Ranger Couplings</b>					
1.23.1	59mm – 73mm to suit 63mm PVC Pipe	10	Each			0
1.23.2	72mm – 85mm to suit 75mm PVC Pipe	2	Each			0
1.23.3	88mm – 103mm to suit 90mm PVC Pipe	20	Each			0
1.23.4	108mm – 128mm to suit 110mm PVC Pipe	10	Each			0
1.23.5	159mm – 182mm to suit 160mm PVC Pipe	10	Each			0
1.23.6	192mm – 209mm to suit 200mm PVC Pipe	1	Each			0
1.23.7	250mm – 267mm to suit 250mm PVC Pipe	1	Each			0
1.23.8	315mm – 332mm to suit 315mm PVC Pipe	1	Each			0
<b>1.24</b>	<b>Cast Iron Saddles</b>					
<b>1.24.1</b>	<b>22mm Drill to Suit AC Pipe</b>					
1.24.1.1	50mm	60	Each			0
1.24.1.2	75mm	65	Each			0
1.24.1.3	100mm	50	Each			0
1.24.1.4	125mm	1	Each			0
1.24.1.5	150mm	20	Each			0
1.24.1.6	200mm	10	Each			0
1.24.1.7	225mm	3	Each			0
1.24.1.8	250mm	3	Each			0
1.24.1.9	300mm	2	Each			0
<b>1.24.2</b>	<b>40mm Drill to Suit AC Pipe</b>					
1.24.2.1	75mm	1	Each			0
1.24.2.2	100mm	2	Each			0
1.24.2.3	125mm	1	Each			0
1.24.2.4	150mm	2	Each			0
1.24.2.5	200mm	1	Each			0
1.24.2.6	225mm	1	Each			0
1.24.2.7	250mm	1	Each			0
1.24.2.8	300mm	1	Each			0
<b>1.24.3</b>	<b>AC/PVC; 22mm Drill</b>					
1.24.3.1	63mm	1	Each			0
1.24.3.2	75mm	10	Each			0

1.24.3.3	90mm	1	Each			0
1.24.3.4	110mm	20	Each			0
1.24.3.5	160mm	1	Each			0
<b>1.24.4</b>	<b>AC/PVC; 42mm Drill</b>					
1.24.4.1	63mm	1	Each			0
1.24.4.2	75mm	1	Each			0
1.24.4.3	90mm	1	Each			0
1.24.4.4	110mm	1	Each			0
1.24.4.5	160mm	5	Each			0
<b>1.24.5</b>	<b>Stainless Steel Repair Clamps</b>					
1.24.5.1	69mm – 76mm to suit 50mm AC Pipe	85	Each			0
1.24.5.2	95mm – 104mm to suit 75mm AC Pipe	75	Each			0
1.24.5.3	120mm – 130mm to suit 100mm AC Pipe	65	Each			0
1.24.5.4	145mm – 155mm to suit 125mm AC Pipe	6	Each			0
						0
1.24.5.5	173mm – 183mm to suit 150mm AC Pipe	30	Each			0
1.24.5.6	229mm – 238mm to suit 200mm AC Pipe	20	Each			0
1.24.5.7	254mm – 264mm to suit 225mm AC Pipe	2	Each			0
1.24.5.8	281mm – 290mm to suit 250mm AC Pipe	2	Each			0
1.24.5.9	342mm – 356mm to suit 300mm AC Pipe	2	Each			0
<b>1.24.6</b>	<b>Flange Adaptors</b>					
1.24.6.1	50mm AC to 63mm PVC (59-73mm)	6	Each			0
1.24.6.2	75mm AC to 75mm PVC (72-85mm)	2	Each			0
1.24.6.3	100mm AC to 110mm PVC (108-128mm)	10	Each			0
1.24.6.4	150mm AC to 160mm PVC (159-182mm)	1	Each			0
1.24.6.5	225mm AC to 250mm PVC (250-267mm)	1	Each			0
<b>1.25</b>	<b>Bends</b>					
<b>1.25.1</b>	<b>11.25° Ductile Iron Socketed</b>					
1.25.1.1	63mm	10	Each			0
1.25.1.2	75mm	10	Each			0
1.25.1.3	90mm	10	Each			0
1.25.1.4	110mm	10	Each			0
1.25.1.5	160mm	10	Each			0
<b>1.25.2</b>	<b>22.5° Ductile Iron Socketed</b>					
1.25.2.1	63mm	10	Each			0
1.25.2.2	75mm	10	Each			0
1.25.2.3	90mm	10	Each			0
1.25.2.4	110mm	10	Each			0
1.25.2.5	160mm	10	Each			0
<b>1.25.3</b>	<b>45° Ductile Iron Socketed</b>					
1.25.3.1	63mm	10	Each			0
1.25.3.2	75mm	10	Each			0
1.25.3.3	90mm	10	Each			0
1.25.3.4	110mm	10	Each			0
1.25.3.5	160mm	10	Each			0
<b>1.25.4</b>	<b>90° Ductile Iron Socketed</b>					
1.25.4.1	63mm	10	Each			0
1.25.4.2	75mm	10	Each			0
1.25.4.3	90mm	10	Each			0
1.25.4.4	110mm	10	Each			0
1.25.4.5	160mm	1	Each			0
<b>1.26</b>	<b>End Caps</b>					
<b>1.26.1</b>	<b>Ductile Iron Socketed</b>					
1.26.1.1	63mm	1	Each			0
1.26.1.2	75mm	1	Each			0
1.26.1.3	90mm	1	Each			0
1.26.1.4	110mm	1	Each			0
1.26.1.5	160mm	1	Each			0
1.26.1.6	200mm	1	Each			0
<b>1.26.2</b>	<b>Cast Iron to Suite AC Pipe</b>					
1.26.2.1	50mm	1	Each			0
1.26.2.2	75mm	1	Each			0
1.26.2.3	100mm	1	Each			0
1.26.2.4	150mm	2	Each			0
1.26.2.5	225mm	1	Each			0
<b>1.26.3</b>	<b>Cast Iron to Suite AC Pipe</b>					

1.26.3.1	75mm to 63mm	1	Each			0
1.26.3.2	90mm to 63mm	1	Each			0
1.26.3.3	110mm to 63mm	1	Each			0
1.26.3.4	90mm to 75mm	1	Each			0
1.26.3.5	110m to 75mm	1	Each			0
1.26.3.6	110mm to 90mm	1	Each			0
1.26.3.7	160mm to 110mm	1	Each			0
<b>1.27</b>	<b>Tees</b>					
<b>1.27.1</b>	<b>Cast Iron to Suite PVC Pipe</b>					
1.27.1.1	50mm Equal Tee	1	Each			0
1.27.1.2	75mm x 50mm	1	Each			0
1.27.1.3	75mm Equal Tee	1	Each			0
1.27.1.4	100mm Equal Tee	1	Each			0
1.27.1.5	150mm x 100mm	1	Each			0
1.27.1.6	150mm Equal Tee	1	Each			0
1.27.1.7	225mm equal Tee	1	Each			0
<b>1.27.2</b>	<b>Ductile Iron to Suit PVC Pipe</b>					
1.27.2.1	63mm Equal Tee	1	Each			0
1.27.2.2	75mm x 63mm	1	Each			0
1.27.2.3	75mm Equal Tee	1	Each			0
1.27.2.4	100mm Equal Tee	1	Each			0
1.27.2.5	160mm x 110mm	1	Each			0
1.27.2.6	160mm Equal Tee	1	Each			0
1.27.2.7	200mm equal Tee	1	Each			0
<b>1.27.3</b>	<b>Hydrant Tees to Suite PVC Pipe</b>					
1.27.3.1	63mm	1	Each			0
1.27.3.2	75mm	1	Each			0
1.27.3.3	90mm	1	Each			0
1.27.3.4	110mm	1	Each			0
1.27.3.5	160mm	1	Each			0
1.27.3.6	200mm	1	Each			0
1.27.3.7	250mm	1	Each			0
1.27.3.8	315mm	1	Each			0
<b>1.27.4</b>	<b>Hydrant Tees to Suit AC Pipe</b>					
1.27.4.1	75mm	2	Each			0
1.27.4.2	100mm	1	Each			0
1.27.4.3	150mm	1	Each			0
1.27.4.4	225mm	1	Each			0
<b>1.27.5</b>	<b>Flanged</b>					
1.27.5.1	75mm	1	Each			0
1.27.5.2	100mm	1	Each			0
1.27.5.3	150mm	1	Each			0
1.27.5.4	225mm	1	Each			0
<b>1.28</b>	<b>Hydrant Valves</b>					
1.28.1	Fire Hydrant Cap top valve multi drilled	20				0
<b>1.29</b>	<b>Gate Valves</b>					
<b>1.29.1</b>	<b>Flanged, Hand wheel Operated (Drilled Table D, BS 10)</b>					
1.29.1.1	150mm	6				0
<b>1.29.2</b>	<b>Cap Top-Socketed To Suite PVC Pipe</b>					
1.29.2.1	63mm	1	Each			0
1.29.2.2	75mm	4	Each			0
1.29.2.3	90mm	1	Each			0
1.29.2.4	110mm	5	Each			0
1.29.2.5	160mm	1	Each			0
1.29.2.6	200mm	1	Each			0
1.29.2.7	250mm	1	Each			0
1.29.2.8	315mm	1	Each			0
<b>1.29.3</b>	<b>Cap Top-Plain Ended</b>					
1.29.3.1	50mm	16	Each			0
1.29.3.2	75mm	10	Each			0
1.29.3.3	100mm	6	Each			0
1.29.3.4	150mm	3	Each			0
1.29.3.5	200mm	1	Each			0
<b>1.29.4</b>	<b>Gate Valves C X C Brass</b>					
1.29.4.1	15mm	1	Each			0
1.29.4.2	20mm	1	Each			0

1.29.4.3	25mm	1	Each			0
1.29.4.4	40mm	10	Each			0
1.29.4.5	50mm	1	Each			0
<b>1.29.5</b>	<b>Gate Valves F X F Brass</b>					
1.29.5.1	15mm	1	Each			0
1.29.5.2	20mm	120	Each			0
1.29.5.3	25mm	10	Each			0
1.29.5.4	40mm	12	Each			0
1.29.5.5	50mm	5	Each			0
<b>1.30</b>	<b>Non-return Valves</b>					
1.30.1	63mm	1	Each			0
1.30.2	75mm	1	Each			0
1.30.3	90mm	1	Each			0
1.30.4	110mm	1	Each			0
1.30.5	160mm	1	Each			0
1.30.6	200mm	1	Each			0
1.30.7	250mm	1	Each			0
1.30.8	315mm	1	Each			0
<b>1.31</b>	<b>Ventomat ( or similar) Rbx Air Release Valves and Vacuum Break Valves (Stainless Steel)</b>					
1.31.1	28mm	1	Each			0
1.31.2	50mm	1	Each			0
<b>1.32</b>	<b>Municipal Ball Cocks</b>					
1.32.1	15mm	1	Each			0
1.32.2	22mm	400	Each			0
1.32.3	28mm	1	Each			0
<b>1.33</b>	<b>Ball Valves</b>					
<b>1.33.1</b>	<b>Ball Valves MXF Chrome Plated</b>					
1.33.1.1	20mm	1	Each			0
1.33.1.2	25mm	13	Each			0
1.33.1.3	32mm	1	Each			0
1.33.1.4	40mm	10	Each			0
1.33.1.5	50mm	1	Each			0
1.33.1.6	80mm	1	Each			0
<b>1.33.2</b>	<b>Ball Valves MXF Chrome Plated</b>					
1.33.2.1	20mm	90	Each			0
1.33.2.2	25mm	1	Each			0
1.33.2.3	32mm	1	Each			0
1.33.2.4	40mm	10	Each			0
1.33.2.5	50mm	1	Each			0
1.33.2.6	80mm	15	Each			0
<b>1.34</b>	<b>DZR Brass Compression Fittings (J.A.S.W.I.C Accepted)</b>					
<b>1.34.1</b>	<b>Running Nipple Brass</b>					
1.34.1.1	20mm	25	Each			0
<b>1.34.2</b>	<b>Couplers CXC Brass</b>					
1.34.2.1	15mm	420	Each			0
1.34.2.2	22mm	780	Each			0
1.34.2.3	28mm	40	Each			0
1.34.2.4	32mm	10	Each			0
1.34.2.5	42mm	45	Each			0
<b>1.34.3</b>	<b>Couplers Female X Copper Brass</b>					
1.34.3.1	15mm	315	Each			0
1.34.3.2	22mm	1045	Each			0
1.34.3.3	28mm	16	Each			0
1.34.3.4	32mm	5	Each			0
1.34.3.5	42mm	40	Each			0
<b>1.34.4</b>	<b>Couplers Male X Copper Brass</b>					
1.34.4.1	15mm	150	Each			0
1.34.4.2	22mm	1000	Each			0
1.34.4.3	28mm	20	Each			0
1.34.4.4	32mm	1	Each			0
1.34.4.5	42mm	40	Each			0
<b>1.34.5</b>	<b>Reducer Coupler Male X Copper Brass</b>					
1.34.5.1	22mm x 15mm	400	Each			0
1.34.5.2	28mm x 22mm	80	Each			0
<b>1.34.6</b>	<b>Couplers Male X Copper Brass</b>					
1.34.6.1	22mm x 15mm	30	Each			0

1.34.6.2	28mm x 22mm	1	Each			0
<b>1.34.7</b>	<b>Multi Step Reducer Set Brass</b>					
1.34.7.1	42mm x 22mm	10	Each			0
1.34.7.2	42mm x 28mm	5	Each			0
<b>1.34.8</b>	<b>Elbows Copper X Copper Brass</b>					
1.34.8.1	15mm	450	Each			0
1.34.8.2	22mm	700	Each			0
1.34.8.3	28mm	20	Each			0
1.34.8.4	35mm	1	Each			0
1.34.8.5	42mm	30	Each			0
<b>1.34.9</b>	<b>Elbows Female X Copper Brass</b>					
1.34.9.1	15mm	190	Each			0
1.34.9.2	22mm	600	Each			0
1.34.9.3	28mm	20	Each			0
1.34.9.4	35mm	15	Each			0
1.34.9.5	42mm	15	Each			0
<b>1.34.10</b>	<b>Elbows Female X Copper Brass</b>					
1.34.10.1	15mm	125	Each			0
1.34.10.2	22mm	760	Each			0
1.34.10.3	28mm	15	Each			0
1.34.10.4	35mm	5	Each			0
1.34.10.5	42mm	30	Each			0
<b>1.34.11</b>	<b>Elbows Female X Copper Brass</b>					
1.34.11.1	15mm	60	Each			0
1.34.11.2	20mm	25	Each			0
<b>1.34.12</b>	<b>Elbows Reducing C X C Brass</b>					
1.34.12.1	20mm x 15mm	1	Each			0
<b>1.34.13</b>	<b>Elbows Reducing C X C Brass</b>					
1.34.13.1	15mm	240	Each			0
1.34.13.2	22mm	200	Each			0
1.34.13.3	28mm	5	Each			0
1.34.13.4	35mm	1	Each			0
1.34.13.5	42mm	10	Each			0
1.34.13.6	54mm	1	Each			0
<b>1.34.14</b>	<b>Tees reducing Brass</b>					
1.34.14.1	15mm x 15mm x 2mm	30	Each			0
1.34.14.2	22mm x 22mm x 28mm	10	Each			0
<b>1.34.15</b>	<b>Tees reducing Branch Brass</b>					
1.34.15.1	22mm x 22mm x 15mm	30	Each			0
1.34.15.2	28mm x 28mm x 22mm	6	Each			0
<b>1.34.16</b>	<b>Conex Rings</b>					
1.34.16.1	15mm	50	Each			0
1.34.16.2	20mm	60	Each			0
<b>1.34.17</b>	<b>Conex Stop Ends</b>					
1.34.17.1	15mm	55	Each			0
1.34.17.2	20mm	30	Each			0
<b>1.35</b>	<b>Brass Taps</b>					
<b>1.35.1</b>	<b>Hose Bib-Cocks</b>					
1.35.1.1	15mm	80	Length			0
1.35.1.2	20mm	20	Length			0
<b>1.35.2</b>	<b>Stopcocks: C x C</b>					
1.35.2.1	15mm	150	Each			0
1.35.2.2	20mm	450	Each			0
1.35.2.3	25mm	12	Each			0
1.35.2.4	38mm	6	Each			0
1.35.2.5	42mm	1	Each			0
<b>1.35.3</b>	<b>Stopcocks: Female</b>					
1.35.3.1	15mm	60	Each			0
1.35.3.2	20mm	2350	Each			0
1.35.3.3	25mm	5	Each			0
1.35.3.4	38mm	1	Each			0
1.35.3.5	42mm	1	Each			0
<b>1.35.4</b>	<b>Stopcocks: Male</b>					
1.35.4.1	15mm	1	Each			0
1.35.4.2	20mm	1	Each			0
1.35.4.3	25mm	1	Each			0

1.35.4.4	38mm	1	Each			0
1.35.4.5	42mm	1	Each			0
<b>1.35.5</b>	<b>Stopcocks: Plastic Male</b>					
1.35.5.1	15mm	1	Each			0
1.35.5.2	20mm	1	Each			0
<b>1.35.6</b>	<b>Taps Pushbutton</b>					
1.35.6.1	15mm	1	Each			0
1.35.6.2	20mm	5	Each			0
1.35.6.3	20mm	15	Each			0
<b>1.35.7</b>	<b>Loose Key Bib Cocks: Male</b>					
1.35.7.1	20mm	1	Each			0
<b>1.35.8</b>	<b>Plastic Hose Bib Cocks</b>					
1.35.8.1	15mm	330	Each			0
1.35.8.2	20mm	1	Each			0
<b>1.35.9</b>	<b>Tap Jumpers</b>					
1.35.9.1	15mm	5	Each			0
1.35.9.2	20mm	5	Each			0
<b>1.35.10</b>	<b>PIPE Copper Tubes Class 2 (2.5Meter)</b>					
1.35.10.1	15mm	30	Length			0
1.35.10.2	20mm	40	Length			0
<b>1.35.11</b>	<b>Y Brass Strainer</b>					
1.35.11.1	Y In Line Strainer Brass Valve	25	Each			0
<b>1.35.12</b>	<b>Tail Pieces Brass</b>					
1.35.12.1	15mm Kent Tailpiece HZ011 (Kent or Similar approved)	50	Each			0
1.35.12.2	20mm Kent Tailpiece HZ012 (Kent or Similar approved)	160	Each			0
1.35.12.3	40mm Kent Tailpiece HZ011 (Kent or Similar approved)	20	Each			0
<b>1.36</b>	<b>HDPE Compression Fittings</b>					
<b>1.36.1</b>	<b>Male Plascon Adaptors</b>					
1.36.1.1	20mm x 15mm	80	Each			0
1.36.1.2	20mm x 22mm	200	Each			0
1.36.1.3	25mm x 15mm	10	Each			0
1.36.1.4	25mm x 22mm	500	Each			0
1.36.1.5	25mm x 25mm	20	Each			0
1.36.1.6	32mm x 22mm	20	Each			0
1.36.1.7	40mm x 40mm	5	Each			0
1.36.1.8	50mm x 40mm	5	Each			0
1.36.1.9	50mm x 50mm	5	Each			0
<b>1.36.2</b>	<b>Female Adaptors</b>					
1.36.2.1	20mm 15mm	1	Each			0
1.36.2.2	20mm x 22mm	100	Each			0
1.36.2.3	25mm x 15mm	1	Each			0
1.36.2.4	25mm x 22mm	1	Each			0
1.36.2.5	25mm x 25mm	1	Each			0
1.36.2.6	32mm x 22mm	1	Each			0
1.36.2.7	40mm x 40mm	1	Each			0
1.36.2.8	50mm x 50mm	1	Each			0
1.36.2.9	50mm x 40mm	1	Each			0
<b>1.36.3</b>	<b>Plasson Couplings</b>					
1.36.3.1	15mm	1	Each			0
1.36.3.2	20mm	40	Each			0
1.36.3.3	25mm	150	Each			0
1.36.3.4	32mm	1	Each			0
1.36.3.5	40mm	1	Each			0
1.36.3.6	50mm	10	Each			0
<b>1.37</b>	<b>Reducing Elbows/Reducers</b>					
<b>1.37.1</b>	<b>Male Plasson Reducing</b>					
1.37.1.1	25mm x 15mm	10	Each			0
1.37.1.2	25mm x 22mm	110	Each			0
<b>1.37.2</b>	<b>Female Plasson Reducing Elbows</b>					
1.37.2.1	25mm x 15mm	1	Each			0
1.37.2.2	25mm x 22mm	1	Each			0
<b>1.37.3</b>	<b>Plasson Reducers: Male/Female Thread</b>					
1.37.3.1.	25mm x 22mm	1				0
1.37.3.2.	25mm x 15mm	1				0
<b>1.37.4</b>	<b>Plasson Reducers: Male/Female Thread</b>					
1.37.4.1.	15mm	1	Each			0



1.37.4.2.	22mm	1	Each			0
1.37.4.3.	25mm	15	Each			0
1.37.4.4.	32mm	1	Each			0
1.37.4.5.	40mm	1	Each			0
1.37.4.6.	50mm	1	Each			0
<b>1.38</b>	<b>Plasson Tees</b>					
<b>1.38.1</b>	<b>90° Equal Tees</b>					
1.38.1.1.	15mm	1	Each			0
1.38.1.2.	22mm	10	Each			0
1.38.1.3.	25mm	50	Each			0
1.38.1.4.	32mm	1	Each			0
1.38.1.5.	40mm	1	Each			0
1.38.1.6.	50mm	1	Each			0
<b>1.38.2</b>	<b>Threaded Female Off-Take</b>					
1.38.2.1.	15mm	1	Each			0
1.38.2.2.	22mm	1	Each			0
1.38.2.3.	25mm	1	Each			0
1.38.2.4.	32mm	1	Each			0
1.38.2.5.	40mm	1	Each			0
1.38.2.6.	50mm	1	Each			0
<b>1.38.3</b>	<b>Threaded Female Off-Take</b>					
1.38.3.1.	15mm	1	Each			0
1.38.3.2.	22mm	1	Each			0
1.38.3.3.	25mm	1	Each			0
1.38.3.4.	32mm	1	Each			0
1.38.3.5.	40mm	1	Each			0
1.38.3.6.	50mm	1	Each			0
<b>1.39</b>	<b>HDPE Pipe</b>					
<b>1.39.1</b>	<b>Class 12 (Black)</b>					
1.39.1.1.	25mm	100	Meter			0
1.39.1.2.	32mm	100	Meter			0
1.39.1.3.	40mm	100	Meter			0
<b>1.39.2</b>	<b>Poly Cop Pipe Class 16</b>					
1.39.2.1.	15mm	1600	Meter			0
1.39.2.2.	22mm	3500	Meter			0
1.39.2.3.	25mm	100	Meter			0
1.39.2.4.	42mm	200	Meter			0
<b>1.40</b>	<b>Saddle: Poly 16 Plus Clamp Saddle (PN16)</b>					
1.40.1.	50mmX20mm	1	Each			0
1.40.2.	63mmx20mm	1	Each			0
1.40.3.	75mmx20mm	1	Each			0
1.40.4.	90mmx20mm	1	Each			0
1.40.5.	110mmx20mm	1	Each			0
1.40.6.	160mmx20mm	1	Each			0
1.40.7.	200mmx20mm	1	Each			0
1.40.8.	250mmx20mm	1	Each			0
1.40.9.	300mmx20mm	1	Each			0
<b>1.41</b>	<b>General</b>					
1.41.1.	Thread tape	100	Each			0
1.41.2.	Denso paste per 500gram	5	Each			0
1.41.3.	Denso tape – 100mm	40	Roll			0
1.41.4.	PVC-U special cement for rigid PVC fittings and pipes (500ml). Must comply with DIN 16970 (German) and BS4346-3 (British ) specifications	45	Each			0
1.41.5.	15mm Galvanized MC Hollow Plugs	5	Each			0
1.41.6.	20mm Galvanized MC Hollow Plugs	5	Each			0
1.41.7.	M16 x 55mm HEX Galvanized Bolts & Nuts Full Thread	30	Each			0
1.41.8.	M16 x 65mm HEX Galvanized Bolts & Nuts Full Thread	30	Each			0
1.41.9.	M16 x 90mm HEX Galvanized Bolts & Nuts Half Thread	30	Each			0
1.41.10.	12 x 88mm Brass T-Bolts And Nuts Full Thread	5	Each			0
1.41.11.	16 x 85mm Brass T-Bolts And Nuts Full Thread	5	Each			0
<b>1.42</b>	<b>Subsoil Poly-drainage Pipes / 6m</b>					
1.42.1	160mm	10	Length			0
<b>1.43</b>	<b>STORM WATER PIPES HDPE</b>					
<b>1.43.1</b>	<b>Spigot and Socket High-Density Polyethylene Resin Structured Wall Storm Water Pipes 4 KN</b>					

1.43.1.1.	300mm Ø (diameter) x 6m	10	Length			0
1.43.1.2.	450mm Ø (diameter) x 6m	10	Length			0
1.43.1.3.	600mm Ø (diameter) x 6m	10	Length			0
<b>1.44</b>	<b>STORM WATER PIPES CONCRETE</b>					
<b>1.45.</b>	<b>Concrete Spigot and socket pipe – SANS 677 – Class 100D</b>					
1.45.1.	300mm Ø (diameter) x 2.4m	10	Each			0
1.45.2.	375mm Ø (diameter) x 2.4m	10	Each			0
1.45.3.	450mm Ø (diameter) x 2.4m	10	Each			0
1.45.4.	525mm Ø (diameter) x 2.4m	10	Each			0
1.45.5.	600mm Ø (diameter) x 2.4m	10	Each			0
	<b>TOTAL: CATEGORY A</b>					<b>0</b>

**Escalation:** Prices will be subject to a .....% escalation\* on 1 July 2020 and 1 July 2021.

\*To be completed by bidder.

Should you fail to indicate a % escalation, an escalation of 0% will be implemented.

**NAME:** .....

**SIGNATURE:** .....